

# SAM4S VH-ECR

ER-230EJ  
Smart Electronic Cash Register

SMART ELECTRONIC CASH REGISTER



OPTIONAL

De afbeelding is een voorbeeld van het product. Het product kan anders zijn dan het product dat u ontvangt.

Kleinhandel - Chocolaterie - Frituur en Snackbar - Cafe en Bar  
Restaurant en Taverne - Bakkerij en Tea-room - Evenementen



# VH-ECR

## SPECIFICATION

Model	ER-200L	
Printer	Type	Thermal Direct
	Speed	30mm/sec (120in/sec)
	Paper Width	57mm
Display	Paper EOL Sensor	Yes
	Operator	150ka x 2 Lines LCD w/ 4 BLU LEDs
	Customer	150ka x 2 Lines LCD w/ 4 BLU LEDs
Keyboard	File	-
	Recess	48 Keys w/ 10 Cap
System	OS	32-bit (Fos-32, Fos-64)
	System	2000+ Users (10 Users x 4)
Memory	RAM	4GB (3GB)
	RAM (Optional)	8GB (8GB) (Total 12GB)
	RAM Storage	60000
Flash Memory	CFR-PCM	4Kbit
Interface	IO-232C	JetDirect™ Network Adapter (w/ 1 Port (RJ-45), FireWire) Diskless (1 Port (RJ-45)) (1 Port (RJ-45) Selectable)
	USB	Internal (2) (10/100/1000)
	Serial	Internal (2) (10/100/1000)
	CFRS Module	External (1) (10/100/1000)
Power	Type	SEPC (150W)
	Port	1 Port, RJ11 (RJ45)
	Environment Condition	Temperature: 0 - 40°C (32 - 104°F) Humidity: 20 - 80% Barometric: 900-1060 hPa
Power	Consumption	300W (300W) (Active)
	Standby (Idle)	12W (12W)
	Just in Time	0.01 (0.01) (2 Lines / 40)
Appearance (MTBF, L.D. Drawn)	Dimensions	228x295 x 105 (H) x 170 (D)mm
	Weight	Approx. 3.5kg
Peripherals		Optional (PCMCIA / USB / Parallel Printer) Strip Printer, Kicker Printer, Scale, Pole, PC, EFT SD Card, 12 Slot, 1 Internal, 1 External (SD/MS/CompactFlash)

\*Always refer to the manual for detailed specifications and information on options.

### Key Feature



Large Character Backlit Multi-Line Customer Display



Programmable Keyboard with Removable Key Tops



Built-in GPRS Modem



Easy Load Thermal Printer with Large Character Backlit Multi-Line Operator Display



SD Card Compartment

### Rounding

VH-ECR		POS SOLUTIONS	
24/03/2021	NDE	20:10	
TX	#1.24		
ALCHOL DRANK T1	€ 1.24		
	1.00xITEMS		
AFRONDEN	€ 0.01		
SK. BIN1	€ 1.24		
BTH 1 TARIEF	21.0004		
NET1 BEDRAG	€ 1.02		
BTH1	€ 0.22		
<b>TOTAAL</b>	€ 1.25		
<b>CONTANT</b>	€ 1.25		
HARK	000182 00001		

Copyright © 2018 Vanhoffelen BVBA. All rights reserved. This document is confidential. Do not copy, use, disseminate or otherwise disclose its contents without the written consent of Vanhoffelen BVBA.



**VANHOFFELEN BVBA** - Desguinlei 203 - 2018 Antwerpen  
tel.: +32 (0)3 237 58 92 - info@vh-ecr.be - www.vh-ecr.be



# SAM4S

# VH-ECR

NR-500 series

Mobile, Desktop and Tablet Cash Register

## SMART ELECTRONIC CASH REGISTER

### High Visibility Display and Advanced Features

Wide Multi Line Graphic Display  
16 Char. x 2 Line LCD Rear Display  
Easy Data Back up, Restore and Report  
Electronic Journal Printer



OPTIONAL

De afbeelding is een afbeelding van een product. Het is een afbeelding van een product. Het is een afbeelding van een product.

Kleinhandel - Chocolaterie - Frituur en Snackbar - Cafe en Bar  
Restaurant en Taverne - Bakkerij en Tea-room - Evenementen



# VH-ECR

## SPECIFICATION

Model	NR-610/610R	NR-630/630R
Printer	Type	1 Station Thermal
	Speed	70mm/sec (18lines/sec)
	Paper Width	57.5mm (2.25)
	Paper End Sensor	Yes
Display	Operator	192 x 64 Graphic LCD or 16Char x 2Lines LCD
	Customer	16Char x 2Lines LCD
Keyboard	Flat	NR-610/NR-620 : 90 Flat Keys
	Raised	NR-610R/NR-620R : 48 Raised Keys
System	CPU	32 bit (75-63), Riscless
	Program	2MByte Flash (CPU Internal)
	Data	4Mbit SRAM
Memory	Ext. (Optional)	4Mbit SRAM (total 8Mbit)
	Data Storage	60 Days
Interface	RS-232C	2 Ports (RJ45 x 1, SUB 9Pin x 1)
	USB	Host : 1 Port (Mass Storage) Device : 1Port (Scanner/PC) (Host Device Selectable)
	Network	TCP/IP (10/100 Mbps)
	GPRS Modem	Built-in
	SD Card	SDHC Compatible
Drawer	Port	1 Ports
Environment Condition	Temperature	-5 ~ 45°C (23 ~ 113°F)
	Humidity	30 ~ 80%RH
Appearance (Without Drawer)	Power	AC 100 ~ 240V/50-60Hz
	Dimensions	400(W) x 450(D) x 200(H) mm
	Weight	Approx. 13Kg
Peripherals	Operatorkey, Scanner (Serial/USB), Remote Printer, Slip Printer, Kitchen Printer, Scale, Pole Display, EFTN POS Terminal	

\*Without any prior notice, design and specification are subject to change.



Copyright © 2013 Van Hoffelen BVBA. All rights reserved. No part of this document may be reproduced without prior written permission from Van Hoffelen BVBA.

